

# eneo AES-5SF0036M0A

SKU: 221517



1/3" Mini Dome, Fix, clear 3,6mm, 960TVL, 12VDC, vandalism protect, flush mount

## Main Features

1/3" Fix dome camera with Sony CCD

Integrated lens F2.0/3.6mm

Resolution of 960 horizontal lines

Automatic shutter control

Digital signal processing (DSP)

Automatic white balance (ATW)

White-coloured aluminium die-cast casing

Clear Lexan bubble, 57mm

Easy indoor installation

For in-ceiling flush mounting

Vandal resistant

## Specifications

General	
Heating	No
Vandalism-resistant	Yes
Lighting	No
Dimensions (WxHxD) (extended)	58,5x88
Weight	0.2 kg
Color (Housing)	white
Color (dome)	clear
Housing type	Outside
Housing material	Aluminium
Camera Type	Domecamera

# eneo AES-5SF0036M0A

## Continuation of the specifications

Power consumption	1.2 W
Mounting type	Ceiling installation
Protection	IP66
Power supply	12VDC
Temperature Range (Operating)	-10°C ~ +50°C
Camera	
Backlight compensation	Yes
Low Speed Shutter	No
Recording sensor	CCD
Chip size	1/3"
Camera shape	Minsters
Signal-to-noise ratio	50 dB
Day/night mode	Automatic
White balance	ATW
Photosensitivity	0,1 Lux bei F1,2,50 IRE
System	Electronic Day&Night
Day/night switching	Electronic
DORI	
Watch (62px/m)	12,6 m
Detect (125px/m)	5,9 m
Identify (250px/m)	2,8 m
Perceiving (25px/m)	32,2 m
Functions	
Motion detector	No
Digital Noise Reduction (DNR)	Yes
Interfaces / Inputs/ Outputs	
Alarm inputs	0
Number of alarm outputs	0
External connections	12VDC input (DC plug),Composite (FBAS),connection cable approx.25cm
Control Interfaces	no
Video Outputs	Composite (FBAS)
Parts supplied	
Scope of delivery	manual,screw set,bag of screws
Lens	
Horizontal angle of view	68°
Focal length	3,6 mm
Lens Type	Prime lens
Zoom Factor (Digital)	0
Video	
Horizontal resolution	960 TVL
Product labeling:	

# eneo AES-5SF0036M0A

Continuation of the specifications

Manufacturer order number	221517
Series	eneo COAXIZE



eneo is a registered trademark of  
VIDEOR E. Hartig GmbH  
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300  
Fax: +49 6074 - 888 - 100  
E-Mail: [info@eneo-security.com](mailto:info@eneo-security.com)  
Web: [www.eneo-security.com](http://www.eneo-security.com)

Stay informed and subscribe  
to the eneo newsletter

