


# eneo VM-HD17P

SKU: 224194



17" (43cm) LCD Monitor HD, 1280x1024, LED, HDMI, VGA, BNC

Camera not included

## Main Features

Professional 17" (43 cm) LCD monitor

Industrial design built to run 24x7x365 continuously

Maximum resolution 1280x1024 pixels

LED Back Light

Fast response time 5ms

Perfect presentation through digital 3D filtering and noise reduction

Different video inputs HDMI, VGA, Composite

Built-in speakers

Supply Voltage: 12VDC

Plastic cabinet including stand

## Specifications

| General                       |  |
|-------------------------------|--|
| Applications                  | 24/7   |
| Dimensions (WxHxD) (extended) | 383x315x45mm   |
| Fortification                 | VESA Standard 75x75mm  |
| Weight                        | 3.6 kg   |
| Energy efficiency class       | F  |
| Color (Housing)               | Black  |
| Housing material              | Plastic  |
| Power consumption             | 15 W   |
| Power supply                  | 12VDC  |
| Display                       | _headline, Anti-glare display, Color TFT-LCD, Hard coating (3H)  |
| Display element               | Colour TFT/LCD, Anti-Glare-Display, Hard coating (3H), Haze :25% |

# eneo VM-HD17P

## Continuation of the specifications

|                                     |  |
|-------------------------------------|--|
| Viewing Angle Horizontal            | 170 °  |
| Viewing Angle Vertical              | 170 °  |
| Screen diagonal (cm)                | 43 cm  |
| Screen diagonal (inches)            | 17 "   |
| Pixel error class                   | ISO 13406-2, Class 2   |
| Brightness (typical)                | 250 cd/m <sup>2</sup>  |
| Backlight                           | LED  |
| Contrast ratio (typical)            | 1000:1   |
| Response time (typical)             | 5 ms   |
| Aspect ratio                        | 4:3  |
| Refresh rate                        | 60 Hz  |
| <b>Functions</b>                    |  |
| Comb filter                         | Yes  |
| Menu languages                      | English, German  |
| <b>Notes</b>                        |  |
| Remark                              | NDAA compliance under Section 889                                    |
| <b>Interfaces / Inputs/ Outputs</b> |  |
| Audio Inputs                        | 1  |
| Transmission Technology             | HDCP 1.4, HDCP 2.2, HDMI 1.4a  |
| Video Outputs                       | Composite (FBAS)   |
| Video Inputs                        | 2x Composite (FBAS), HDMI, VGA                                       |
| <b>Parts supplied</b>               |  |
| Scope of delivery                   | manual,power cord,PSU 100~240VAC,IR remote controller,VGA cable,feet |
| <b>Video</b>                        |  |
| Resolution (extended)               | 800x600,1024x768,1280x1024   |
| Maximum Image Resolution (HV)       | 1280x1024  |
| <b>Product labeling:</b>            |  |
| Manufacturer order number           | 224194   |
| Series                              | eneo Monitor   |

## Optional Accessory

| SKU    | Name                                    | Description  |
|--------|---|--|
| 224229 | eneo VM-LCDWMB2                         | Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg                     |
| 228560 | eneo VM-TSHA                            | Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg            |
| 241900 | Jetrics VM-UCWM20 Monitor Wandhalterung | Kompakte neigbare Wandhalterung, LCD Monitore, 23"bis 42", VESA Tragfähigkeit max. 25Kg          |
| 241896 | Jetrics VM-UMA10 Monitor Wandhalterung  | Aluminium Gasfeder Monitorarm für Wandmontage, LCD Monitore bis max. 27", Tragfähigkeit max. 7Kg |

# eneo VM-HD17P

## Continuation of accessory

|        |   |   |
|--------|---|---|
| 241897 | Jetrics VM-UTM10 Monitor Tischhalterung | Universal Tischhalterung für LCD Monitore, bis max. 45", VESA Tragfähigkeit max. 13Kg |
| 241894 | Jetrics VM-UWM10 Monitor Wandhalterung  | Universal Wandhalterung für LCD Monitore, bis max. 27", VESA Tragfähigkeit max. 15Kg  |
| 241898 | Jetrics VM-UWM30 Monitor Wandhalterung  | Universal Wandhalterung für LCD Monitore, bis max. 43", VESA Tragfähigkeit max. 20Kg  |



eneo is a registered trademark of  
VIDEOR E. Hartig GmbH  
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300  
Fax: +49 6074 - 888 - 100  
E-Mail: [info@eneo-security.com](mailto:info@eneo-security.com)  
Web: [www.eneo-security.com](http://www.eneo-security.com)

Stay informed and subscribe  
to the eneo newsletter

