

VM-HD17P

SKU: 224194



Abb. ähnlich

17" (43cm) LCD Monitor HD, 1280x1024, LED, HDMI, VGA, BNC

Main Features

| | |
|--|---|
| Professional 17" (43 cm) LCD monitor | Perfect presentation through digital 3D filtering and noise reduction |
| Industrial design built to run 24x7x365 continuously | Different video inputs HDMI, VGA, Composite |
| Maximum resolution 1280x1024 pixels | Built-in speakers |
| LED Back Light | Supply Voltage: 12VDC |
| Fast response time 5ms | Plastic cabinet including stand |

Specifications

| | |
|-----------------------|--|
| General: | |
| Dimensions (HxWxD) | 315,10x382,60x45,30mm |
| Mount | VESA standard 75x75mm |
| Series | eneo Monitor |
| Housing color | black |
| Housing material | Plastic |
| Loudspeaker | 2 |
| Supply voltage | 12VDC |
| Power consumption | 15W |
| Operating temperature | -30°C ~ +85°C, @ Humidity 10%-90% (non-condensing) |
| Weight | 3,6kg |
| Display: | |

VM-HD17P

Continuation of the specifications


| | |
|-------------------------------|---|
| Pixel fault class | ISO 13406-2, Class II |
| Pixel format | 0,264mm x 0,264mm |
| Video standard | PAL/NTSC |
| Resolution Pixels | 1280x1024 |
| Backlighting | LED |
| Screen size (inch) | 17" |
| Screen size (cm) | 43.2 cm |
| Aspect ratio | 4:3 |
| Viewing angle vertical | 170° |
| Viewing angle horizontal | 170° |
| Brightness typical | 250 cd/m² |
| Contrast ratio typical | 1000:1 |
| Reponse time typical | 5 ms |
| Refresh rate | 60 Hz |
| Functions: | |
| Comb filter | 3D comb filter with de-interlace |
| Menu languages | English |
| Parts supplied: | |
| Parts supplied | manual, power cord, PSU 100~240VAC, IR remote controller, VGA cable, feet |
| Interfaces / Inputs/ Outputs: | |
| Audio inputs | 1x 3.5mm jack, 1, 1 |
| Video inputs | HDMI 1.4a, HDCP 2.2, HDCP 1.4 |
| Video inputs (type) | 2x composite (CVBS), HDMI, VGA |
| Video outputs | Composite (CVBS) |
| Audio output | 1x 3,5mm jack |
| Video: | |
| Resolution | 1280x1024, 1024x768, 800x600, 720x400 |
| Other | |
| Display element | Colour TFT/LCD, Anti-Glare-Display, Hard coating (3H), Haze :25% |
| Applications | 24/7 |
| Manufacturer order number | 224194 |

Optional Accessory

| SKU | Name | Description |
|--------|------------|---|
| 224229 | VM-LCDWMB2 | Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg |
| 228560 | VM-TSHA | Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg |

VM-HD17P

Technical Drawing



Maße / Dimensions: mm



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300
Fax: +49 6074 - 888 - 100
E-Mail: info@eneo-security.com
Web: www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

