


eneo VM-HD19P

SKU: 224195



19" (48cm) LCD Monitor HD 1280x1024, LED, HDMI, VGA, Composite

Camera not included

Main Features

Professional 19" (48 cm) LCD monitor

Industrial design built to run 24x7x365 continuously

Maximum resolution 1280x1024 pixels

LED Back Light

Fast response time 5ms

Perfect presentation through digital 3D filtering and noise reduction

Different video inputs HDMI, VGA, Composite

Built-in speakers

Supply Voltage: 12VDC

Plastic cabinet including stand

Specifications

General	
Applications	24/7
Dimensions (WxHxD) (extended)	426x351x45mm
Fortification	VESA Standard 75x75mm
Weight	3.9 kg
Energy efficiency class	E
Color (Housing)	Black
Housing material	Plastic
Power consumption	20 W
Power supply	12VDC
Display	_headline, Anti-glare display, Color TFT-LCD, Hard coating (3H)
Display element	Colour TFT/LCD, Anti-Glare-Display, Hard coating (3H), Haze :3%

eneo VM-HD19P

Continuation of the specifications

Viewing Angle Horizontal	178 °
Viewing Angle Vertical	178 °
Screen diagonal (cm)	48 cm
Screen diagonal (inches)	19 "
Pixel error class	ISO 13406-2, Class 2
Brightness (typical)	300 cd/m ²
Backlight	LED
Contrast ratio (typical)	1000:1
Response time (typical)	5 ms
Aspect ratio	5:4
Refresh rate	60 Hz
Functions	
Comb filter	Yes
Menu languages	English, German
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Audio Inputs	1
Transmission Technology	HDCP 1.4, HDCP 2.2, HDMI 1.4a
Video Outputs	Composite (FBAS)
Video Inputs	2x Composite (FBAS), HDMI, VGA
Parts supplied	
Scope of delivery	manual,power cord,PSU 100~240VAC,IR remote controller,VGA cable,feet
Video	
Resolution (extended)	800x600,1024x768,1280x1024
Maximum Image Resolution (HV)	1280x1024
Product labeling:	
EAN/GTIN	4260229841259
Manufacturer order number	224195
Series	eneo Monitor

Optional Accessory

SKU	Name	Description
228560	eneo VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg
241900	Jetrics VM-UCWM20 Monitor Wandhalterung	Kompakte neigbare Wandhalterung, LCD Monitore, 23"bis 42", VESA Tragfähigkeit max. 25Kg
241896	Jetrics VM-UMA10 Monitor Wandhalterung	Aluminium Gasfeder Monitorarm für Wandmontage, LCD Monitore bis max. 27", Tragfähigkeit max. 7Kg
241897	Jetrics VM-UTM10 Monitor Tischhalterung	Universal Tischhalterung für LCD Monitore, bis max. 45", VESA Tragfähigkeit max. 13Kg

eneo VM-HD19P

Continuation of accessory

241894	Jetrics VM-UWM10 Monitor Wandhalterung	Universal Wandhalterung für LCD Monitore, bis max. 27", VESA Tragfähigkeit max. 15Kg
241898	Jetrics VM-UWM30 Monitor Wandhalterung	Universal Wandhalterung für LCD Monitore, bis max. 43", VESA Tragfähigkeit max. 20Kg



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300
Fax: +49 6074 - 888 - 100
E-Mail: info@eneo-security.com
Web: www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

