

eneo VM-FHD12M

SKU: 227599



12" (30cm) LCD Monitor FHD, 1920x1080, LED, HDMI, VGA, Composite, TVI, CVI, AHD

Main Features

Professional 12" (30 cm) LCD monitor

Industrial design built to run 24x7x365 continuously

Maximum resolution 1920x1080 pixels

LED Back Light

Fast response time 5ms

Perfect presentation through digital 3D filtering and noise reduction

Different video inputs HDMI, VGA, Composite (loop-through input)

HD analog multi signal input (TVI, AHD, CVI)

Supply voltage: 12VDC

Metal cabinet including stand

Specifications

General	
Dimensions (WxHxD) (extended)	326x315x43mm
Fortification	VESA Standard 75x75mm
Weight	2.3 kg
Energy efficiency class	E
Color (Housing)	Black
Housing material	Metal
Power consumption	10 W
Power supply	12VDC
Display	_headline, Anti-glare display, Color TFT-LCD, Hard coating (3H)
Display element	Colour TFT/LCD,Anti-Glare-Display,Hard coating (3H),Haze :3%

eneo VM-FHD12M

Continuation of the specifications

Viewing Angle Horizontal	170 °
Viewing Angle Vertical	170 °
Screen diagonal (cm)	30 cm
Screen diagonal (inches)	12 "
Pixel error class	ISO 13406-2, Class 2
Brightness (typical)	250 cd/m ²
Backlight	LED
Contrast ratio (typical)	1000:1
Response time (typical)	5 ms
Aspect ratio	16:9
Refresh rate	60 Hz
Functions	
Comb filter	Yes
Menu languages	English, German
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Audio Inputs	1
Transmission Technology	HDCP 1.4, HDCP 2.2, HDMI 1.4a
Video Outputs	1x BNC signal loop
Video Inputs	2x HDMI, AHD, Composite (FBAS), CVI, HD-TVI, VGA
Parts supplied	
Scope of delivery	manual,power cord,PSU 100~240VAC,IR remote controller,VGA cable,feet
Video	
Resolution (extended)	800x600,1024x768,1280x1024,1600x900,1920x1080
Maximum Image Resolution (HV)	1920x1080
Product labeling:	
EAN/GTIN	4260229841211
Manufacturer order number	227599
Series	eneo Monitor

Optional Accessory

SKU	Name	Description
224229	eneo VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
228560	eneo VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg
241896	Jetrics VM-UMA10 Monitor Wandhalterung	Aluminium Gasfeder Monitorarm für Wandmontage, LCD Monitore bis max. 27", Tragfähigkeit max. 7Kg

eneo VM-FHD12M

Continuation of accessory

241897	Jetrics VM-UTM10 Monitor Tischhalterung	Universal Tischhalterung für LCD Monitore, bis max. 45", VESA Tragfähigkeit max. 13Kg
241894	Jetrics VM-UWM10 Monitor Wandhalterung	Universal Wandhalterung für LCD Monitore, bis max. 27", VESA Tragfähigkeit max. 15Kg
241898	Jetrics VM-UWM30 Monitor Wandhalterung	Universal Wandhalterung für LCD Monitore, bis max. 43", VESA Tragfähigkeit max. 20Kg



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300
Fax: +49 6074 - 888 - 100
E-Mail: info@eneo-security.com
Web: www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

