

VM-UHD32M

SKU: 229168



Abb. ähnlich

32" (81cm) LCD Monitor, 4K UHD, 3840x2160, LED, USB, DisplayPort, HDMI, DVI, VGA

Main Features

Professional 32"(81cm) LCD monitor	Built to run 24x7x365 continuously
Maximum resolution 4K UHD 3840x2160 pixels	Different video inputs DisplayPort, HDMI, DVI, VGA, CVBS
Media player integrated (USB)	Built-in speakers
LED Back Light	Including stand
Perfect presentation through digital 3D filtering and noise reduction	Metal housing (suitable for industrial use)

Specifications

General:	
Dimensions (HxWxD)	412x712x60,2mm
Mount	VESA standard 200x200mm
Series	eneo Monitor
Housing color	black
Housing material	Metal
Loudspeaker	2
Power consumption	42W
Operating temperature	-30°C ~ +85°C, @ Humidity 10%-90% (non-condensing)
Weight	18kg
Display:	
Pixel fault class	ISO 13406-2, Class II

VM-UHD32M

Continuation of the specifications

Pixel format	0,51075mm x 0,51075mm
Video standard	PAL/NTSC
Resolution Pixels	3840x2160
Backlighting	LED
Screen size (inch)	32"
Screen size (cm)	81.3 cm
Aspect ratio	16:9
Viewing angle vertical	178°
Viewing angle horizontal	178°
Brightness typical	350 cd/m²
Contrast ratio typical	1000:1
Reponse time typical	5 ms
Refresh rate	30 Hz
Functions:	
Comb filter	3D comb filter with de-interlace
Menu languages	English
Parts supplied:	
Parts supplied	manual,IR remote controller,power cord,feet set,VGA cable
Interfaces / Inputs/ Outputs:	
Audio inputs	1x 3.5mm jack,2, 1
Video inputs	HDMI 1.4b,HDCP 1.4,HDCP 2.2
Video inputs (type)	composite (CVBS), DisplayPort, DVI, HDMI, USB2.0, VGA
Serial interfaces	no
Audio output	1x 3,5mm jack
Video:	
Resolution	3840x2160,1920x1080,1280x1024,1024x768,800x600,720x400
Other	
Display element	Colour TFT/LCD,Anti-Glare-Display,Hard coating (3H),Haze :25%
Special features	Medioplayer function, supported standards: RMVB; MPG; AVI; MP4; JPG; JPEG; PNG at maximum resolution of 1920x1080 pixels.
Applications	24/7
Manufacturer order number	229168

Optional Accessory


SKU	Name	Description
224228	VM-LCDWMB1	Universal Wall Mount for LCD Monitors, 32" to 65", VESA support up to 35 kg max.

VM-UHD32M

Continuation of accessory

VM-UHD32M

Technical Drawing



Maße / Dimensions:mm



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone:
Fax:
E-Mail:
Web:

+49 6074 - 888 - 300
+49 6074 - 888 - 100
info@eneo-security.com
www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

