# MHR-28N08005A

SKU: 230039





Hybrid HD Video Recorder, 8-ch. analogue, 240fps, HD-TVI AHD, IP, 2xSATA, HDMI, w/o HDD

#### Main Features

8-Channel Pentaplex Multisignal Recorder	PTZ control via coax (UTC)	
IP, HD-TVI, AHD, CVBS signals supported	Audio/Alarm In- and Output	
Max. 16-Channel (e.g., 8x IP + 8x analogue or 16x IP)	USB 2.0 and RS-485 interface	
Recording speed IP 240fps@8MP, 240fps@5MP, 480fps@2Mempression Method: H.264, H.265		
Monitor output HDMI (4K), VGA and Spot CVBS	Remote access via App, Browser and CMS	
Easy installation of the hard disk(s)	IR remote control and USB-Mouse included	

### Specifications

General:	
Control units (external)	mouse,remote control
Recording:	
Recording	permanent,timer,movement,contact,PoS-Text,panic
Recording speed	64 fps @ 3840x2160 Analog,80 fps @ 2560x1920 Analog,120 fps @ 2560x1440 Analog,144 fps @ 1984x1488 Analog,240 fps @ 1920x1080,240 fps @ 3840x2160 IP,240 fps @ 2560x1920 IP,480 fps @ 2560x1440 IP,480 fps @ 1984x1488 IP,240 fps @ 1920x1080 IP
Post-alarm recording	up to 180sec.
Pre-alarm recording	up to 15sec.

# MHR-28N08005A

### Continuation of the specifications

Display:	
Live display	3840x2160,1920x1080,1280x720,max. 240fps
Video standard	PAL/NTSC
Zoom functions	in full screen mode (live and playback operation)
Functions:	
Alarm triggers	contact,motion detection,video loss,PoS-Text,eystem error,Panic Record
Alarm notification	e-mail notification,alarm output,Live Popup,Buzzer,FTP,PTZ Preset
Motion detector	Free selectable areas
Covert camera mode	yes
Digital signature	watermark
Menu languages	English,German
Mobiel access	iPhone,Android OS
Password protection	administrator & users
Patrol mode	yes
Search function	date/time,event,calendar,text,Thumbnail,Instant Playback,bookmark
Time synchronization	NTP
Parts supplied:	
Parts supplied	IR remote controller,PSU,HDD assembly-kit,mouse,19" rack mount angle,manual
Network:	
Network protocols	TCP/IP,DHCP,IPv4,IPv6,RTP,RTCP,SMTP,NTP,HTTP,HTTPS,FTP,DDNS,UPnP
Data transfer rate outgoing	96 Mbps
Interfaces / Inputs/ Outputs:	
Audio inputs	RCA,4
Serial interfaces protocols	Fastrax IIE,Pelco D,Pelco P,UTC (HD-Signal Format)
Video inputs	BNC-female,automatic resolution and signal detection
Other	
Special features	16 universal analogue inputs plus 8 fixed IP channels allow the connection of up to 16 cameras., The existing analogue channels support SD & HD signal standards for connecting analogue cameras or serve as defined IP channels for connecting IP cameras., (Examples: 8x IP + 8x Analog; 10x IP + 6x Analog; 16x IP)
Manufacturer order number	230039

### Optional Accessory

[			
CKII	Nama	Description	
SNU	Name	Description	

# MHR-28N08005A

#### Continuation of accessory

230302	eneo Control	Control Software for Hybrid HD Video Recorder MHR-Series
230303	eneo Control mobile	Mobile App for Hybrid HD Video Recorder MHR- Series
218218	eneo Site Manager	Management Software for eneo IP products
233164	HDD-12000SATA Purple	Hard Disk Drive, 3,5", SATA 12TB, 256MB Cache, 24x7, optimised for Video Security
217658	HDD-2000SATA Purple	Hard Disk Drive 2TB, SATA, for eneo Video Recorders, expansion
217657	HDD-3000SATA Purple	Hard Disk Drive 3TB, SATA, for eneo Video Recorders, expansion
217659	HDD-4000SATA Purple	Hard Disk Drive 4TB, SATA, for eneo Video Recorders, expansion
217660	HDD-6000SATA Purple	Hard Disk Drive 6TB, SATA, for eneo Video Recorders, expansion
218583	HDD-8000SATA Purple	Hard Disk Drive 8TB, SATA, for eneo Video Recorders, expansion

63322 Rödermark, Deutschland