

eneo VM-FHD27MPA

SKU: 233035



Camera not included

27" (69cm) LCD Industrial Mon. FHD, 1920x1080, LED, HDMI, VGA CVBS, Protection Glass

Main Features

Professional 27" (69 cm) LCD monitor

Industrial design built to run 24x7x365 continuously

Protective glass for harsh environmental conditions

Maximum resolution 1920x1080 pixels

LED Back Light

Fast response time 5ms

Digital 3D filtering and noise reduction

Different video inputs HDMI, VGA, Composite

Built-in speakers

Supply voltage: 240-100VAC, 50/60Hz

HDMI cable and IR remote control

Metal cabinet

Specifications

General	
Applications	24/7
Dimensions (WxHxD) (extended)	619x372x49mm
Fortification	VESA Standard 100x100mm
Weight	7 kg
Energy efficiency class	F
Color (Housing)	Black
Housing material	Metal
Power consumption	40 W
Display	_headline, Anti-glare display, Color TFT-LCD, Glass, Hard coating (6.5H), Haze: 89%, Not anit-glare type

eneo VM-FHD27MPA

Continuation of the specifications

Display element	Colour TFT/LCD, Anti-Glare-Display, Haze: 89%, Protection Glass, Not anti-glare type, Hard coating (6.5H)
Viewing Angle Horizontal	178 °
Viewing Angle Vertical	178 °
Screen diagonal (cm)	69 cm
Screen diagonal (inches)	27 "
Pixel error class	ISO 13406-2, Class 2
Brightness (typical)	250 cd/m ²
Backlight	LED
Contrast ratio (typical)	1000:1
Response time (typical)	8 ms
Aspect ratio	16:9
Refresh rate	60 Hz
Functions	
Comb filter	Yes
Menu languages	English, French, German, Italian
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Audio Inputs	1
Transmission Technology	HDCP 1.4, HDMI 1.4a
Video Outputs	Composite (FBAS)
Video Inputs	Composite (FBAS), HDMI, VGA
Parts supplied	
Scope of delivery	manual, power cord, wall bracket, HDMI cable, IR remote controller
Video	
Maximum Image Resolution (HV)	1920x1080
Product labeling:	
Manufacturer order number	233035
Series	eneo Monitor

Optional Accessory

SKU	Name	Description
228560	eneo VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg
241900	Jetrics VM-UCWM20 Monitor Wandhalterung	Kompakte neigbare Wandhalterung, LCD Monitore, 23" bis 42", VESA Tragfähigkeit max. 25Kg
241896	Jetrics VM-UMA10 Monitor Wandhalterung	Aluminium Gasfeder Monitorarm für Wandmontage, LCD Monitore bis max. 27", Tragfähigkeit max. 7Kg

eneo VM-FHD27MPA

Continuation of accessory

241897	Jetrics VM-UTM10 Monitor Tischhalterung	Universal Tischhalterung für LCD Monitore, bis max. 45", VESA Tragfähigkeit max. 13Kg
241894	Jetrics VM-UWM10 Monitor Wandhalterung	Universal Wandhalterung für LCD Monitore, bis max. 27", VESA Tragfähigkeit max. 15Kg
241898	Jetrics VM-UWM30 Monitor Wandhalterung	Universal Wandhalterung für LCD Monitore, bis max. 43", VESA Tragfähigkeit max. 20Kg



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300
Fax: +49 6074 - 888 - 100
E-Mail: info@eneo-security.com
Web: www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

