


eneo VM-HD19MPA

SKU: 233036



Camera not included

19" (48cm) LCD, Industrial Monitor, 1280x1024, HDMI, VGA, Composite, Protection Glass

Main Features

Professional 19" (48 cm) LCD monitor

Built to run 24x7x365 continuously (Industrial Level)

Including protection glass, Anti-Glare-Display 3H

Maximum resolution 1280x1024 pixels

LED Back Light

Fast response time 5ms

Different video inputs HDMI, VGA, BNC (CVBS)

Audio In- and Output

Built-in speakers

Metal cabinet including wall mount

Specifications

General	
Applications	24/7
Dimensions (WxHxD) (extended)	401x341x48,3mm
Fortification	VESA Standard 100x100mm
Weight	4.1 kg
Energy efficiency class	F
Color (Housing)	Black
Housing material	Metal
Power consumption	25 W
Display	_headline, Anti-glare display, Glass, Hard coating (6.5H), Haze: 89%, Not anit-glare type
Display element	Colour TFT/LCD, Anti-Glare-Display, Haze: 89%, Protection Glass, Not anit-glare type, Hard coating (6.5H)

eneo VM-HD19MPA

Continuation of the specifications

Viewing Angle Horizontal	178 °
Viewing Angle Vertical	178 °
Screen diagonal (cm)	48 cm
Screen diagonal (inches)	19 "
Pixel error class	ISO 13406-2, Class 2
Brightness (typical)	250 cd/m ²
Backlight	LED
Contrast ratio (typical)	1000:1
Response time (typical)	14 ms
Aspect ratio	5:4
Refresh rate	60 Hz
Functions	
Comb filter	Yes
Menu languages	English, French, German, Italian
Notes	
Remark	NDAA compliance under Section 889
Interfaces / Inputs/ Outputs	
Audio Inputs	1
Transmission Technology	HDCP 1.4, HDMI 1.4a
Video Outputs	Composite (FBAS)
Video Inputs	Composite (FBAS), HDMI, VGA
Parts supplied	
Scope of delivery	manual,power cord,wall bracket,remote controller with two batteriesHDMI cable
Video	
Maximum Image Resolution (HV)	1280x1024
Product labeling:	
EAN/GTIN	4260229841747
Manufacturer order number	233036
Series	eneo Monitor

Optional Accessory

SKU	Name	Description
224229	eneo VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
228560	eneo VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg
241900	Jetrics VM-UCWM20 Monitor Wandhalterung	Kompakte neigbare Wandhalterung, LCD Monitore, 23"bis 42", VESA Tragfähigkeit max. 25Kg
241896	Jetrics VM-UMA10 Monitor Wandhalterung	Aluminium Gasfeder Monitorarm für Wandmontage, LCD Monitore bis max. 27", Tragfähigkeit max. 7Kg

eneo VM-HD19MPA

Continuation of accessory

241897	Jetrics VM-UTM10 Monitor Tischhalterung	Universal Tischhalterung für LCD Monitore, bis max. 45", VESA Tragfähigkeit max. 13Kg
241894	Jetrics VM-UWM10 Monitor Wandhalterung	Universal Wandhalterung für LCD Monitore, bis max. 27", VESA Tragfähigkeit max. 15Kg
241898	Jetrics VM-UWM30 Monitor Wandhalterung	Universal Wandhalterung für LCD Monitore, bis max. 43", VESA Tragfähigkeit max. 20Kg



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300
Fax: +49 6074 - 888 - 100
E-Mail: info@eneo-security.com
Web: www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

