

VM-FHD22PP

SKU: 233631



22" (56cm) LCD Monitor, FHD, 1920x1080, LED, HDMI, VGA, RJ45 PoE Port

Main Features

Professional 22"(56 cm) LCD monitor

Maximum resolution Full HD 1920x1080 pixels

LED Back Light

3D filtering and noise reduction

Built to run 24x7x365 continuously

Different video inputs HDMI, DVI, VGA

Built-in speakers

Power supply by 12VDC or PoE input (RJ45)

Plastic cabinet including stand

Specifications

General:	
Dimensions (HxWxD)	305,93x508,35x22,2mm
Mount	VESA standard 100x100mm
Series	eneo Monitor
Housing color	black
Housing material	Plastic
Loudspeaker	2
Power consumption	25W
Power over Ethernet	IEEE 802.3at
Operating temperature	-30°C ~ +85°C, @ Humidity 10%-90% (non-condensing)
Weight	3.5kg
Display:	

VM-FHD22PP

Continuation of the specifications


Pixel fault class	ISO 13406-2, Class II
Video standard	PAL/NTSC
Resolution Pixels	1920x1080
Backlighting	LED
Screen size (inch)	22"
Screen size (cm)	55.9 cm
Aspect ratio	16:9
Viewing angle vertical	178°
Viewing angle horizontal	178°
Brightness typical	250 cd/m ²
Contrast ratio typical	1000:1
Reponse time typical	5 ms
Refresh rate	60 Hz
Functions:	
Comb filter	3D comb filter with de-interlace
Menu languages	English
Notes:	
Special features	When powering the monitor via PoE (IEEE 802.3at standard), the DC jack serves as a 12VDC DC output with up to 5W.
Parts supplied:	
Parts supplied	manual,PSU 100~240VAC,IR remote controller,feet
Interfaces / Inputs/ Outputs:	
Audio inputs	1x 3.5mm jack,1, 1
Video inputs	HDMI 1.4a,HDCP 2.2,HDCP 1.4
Video inputs (type)	HDMI, VGA
Video:	
Resolution	1920x1080,1280x1024,1024x768 ,800x600,720x400
Other	
Display element	Colour TFT/LCD,Anti-Glare-Display,Hard coating (3H),Haze :3%
Manufacturer order number	233631

Optional Accessory

SKU	Name	Description
224229	VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
239768	VM-PFF22	Privacy filter foils for 22" LCD-Monitors
228560	VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg

VM-FHD22PP

Technical Drawing



Maße / Dimensions: mm



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300
Fax: +49 6074 - 888 - 100
E-Mail: info@eneo-security.com
Web: www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

