

VM-FHD22PF

SKU: 234196



22" (56cm) LCD Monitor, FHD, 1920x1080, LED, DP, HDMI, VGA, Frameless, Plastic

Main Features

Professional 22"(56 cm) LCD monitor	Fast response times
Maximum resolution Full HD 1920x1080 pixels	Easy operation via navigation joystick
Different video inputs HDMI, DisplayPort, VGA	Built to run 24x7x365 continuously
LED Back Light	Plastic cabinet including stand
High contrast ratio	

Specifications

General:	
Dimensions (HxWxD)	492,3x281,2x41,9mm
Mount	VESA standard 75x75mm
Series	eneo Monitor
Housing color	black
Housing material	Plastic
Power consumption	25W
Operating temperature	0°C ~ +40°C
Weight	3 kg
Display:	
Pixel fault class	ISO 13406-2, Class II
Pixel format	0.0831mm x 0.241mm

VM-FHD22PF

Continuation of the specifications


Video standard	PAL
Resolution Pixels	1920x1080
Backlighting	LED
Screen size (inch)	21.45
Screen size (cm)	54.48 cm
Aspect ratio	16:9
Viewing angle vertical	178°
Viewing angle horizontal	178°
Brightness typical	200 cd/m²
Contrast ratio typical	3000:1
Reponse time typical	6.5 ms
Refresh rate	60 Hz,70 Hz,75 Hz
Functions:	
Comb filter	3D comb filter with de-interlace
Menu languages	English,German,Italian,Spanish,French,Chinese
Parts supplied:	
Parts supplied	manual,Power supply unit 100 ~ 240VAC / 12VDC, 50/60Hz,power cord,feet,HDMI cable
Interfaces / Inputs/ Outputs:	
Audio inputs	no, no
Video inputs (type)	1x VGA, DisplayPort, HDMI
Video outputs	no
Serial interfaces	no
Video:	
Resolution	1920x1080,1280x1024,1024x768,800x600,720x400,640x480
Other	
Display element	Colour TFT/LCD,Anti-Glare-Display,Hard coating (3H),Haze :25%
Manufacturer order number	234196

Optional Accessory

SKU	Name	Description
224229	VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
239768	VM-PFF22	Privacy filter foils for 22" LCD-Monitors
228560	VM-TSHA	Monitor stand high adjustable up to 130mm, for LCD-Monitors, 15-27 Inch, maximum 10Kg

VM-FHD22PF

Technical Drawing



Maße / Dimensions: mm

