

VM-UHD32P

SKU: 235694



32" (81cm) LCD Monitor, 4K UHD, 3840x2160, LED, USB, DisplayPort, 3xHDMI 2,0

Main Features

Professional 32" (81cm) LCD monitor

Maximum resolution 4K UHD 3840x2160 pixels

High brightness, high contrast, high resolution

LED backlight

Digital 3D filtering and noise reduction

Designed for continuous operation 24x7x365

Versatile inputs DisplayPort and 3x HDMI 2.0

Loudspeaker integrated

Frameless plastic case

Metal stand included

Specifications

Other	
Dimensions (HxWxD)	728,40x424,85x55,10mm
Display element	Color TFT-LED,Hard coating (3H),Haze :25%
Audio inputs	no, no
Resolution	3840x2160
Mount	VESA standard 100x100mm
Comb filter	3D comb filter with de-interlace
Parts supplied	manual,Power supply unit 100 ~ 240VAC / 12VDC, 50/60Hz,power cord,feet
Menu languages	English,Chinese
Pixel fault class	ISO 13406-2, Class II
Video standard	PAL/NTSC
Series	eneo Monitor

VM-UHD32P

Continuation of the specifications


Resolution Pixels	3840x2160
Housing color	black
Housing material	Plastic
Backlighting	LED
Screen size (inch)	32"
Screen size (cm)	82 cm
Aspect ratio	16:9
Viewing angle vertical	178°
Viewing angle horizontal	178°
Brightness typical	350 cd/m ²
Contrast ratio typical	1000:1
Response time typical	5 ms
Video inputs (type)	3x HDMI, DisplayPort
Loudspeaker	2x 3W
Video outputs	no
Serial interfaces	no
Supply voltage	12VDC
Power consumption	40W
Operating temperature	0°C ~ +40°C
Weight	3.5kg
Audio output	no
Manufacturer order number	235694
Refresh rate	60 Hz

Optional Accessory

SKU	Name	Description
224229	VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg

VM-UHD32P

Technical Drawing



Maße/Dimensions: mm



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300
Fax: +49 6074 - 888 - 100
E-Mail: info@eneo-security.com
Web: www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

