

VM-FHD24PFA

SKU: 236655



24" (61 cm) LCD Monitor Full HD, 1920x1080, LED, DisplayPort, HDMI

Main Features

Professional 24"(61 cm) LCD monitor	Built to run 24x7x365 continuously
Maximum resolution Full HD 1920x1080 pixels	Different video inputs DisplayPort,HDMI
LED Back Light	Built-in speakers (2x3W Stereo)
Perfect presentation through digital 3D filtering and noise reduction	Frameless plastic cabinet including stand

Specifications

General:	
Dimensions (HxWxD)	302x530x41,8mm
Mount	VESA standard 100x100mm
Series	eneo Monitor
Housing color	black
Housing material	Plastic
Loudspeaker	2x 3W
Supply voltage	12VDC
Power consumption	25W
Operating temperature	0°C ~ +40°C
Weight	3.5kg
Display:	

VM-FHD24PFA

Continuation of the specifications

Pixel fault class	ISO 13406-2, Class II
Pixel format	0,248mm x 0,248mm
Video standard	PAL/NTSC
Resolution Pixels	1920x1080
Backlighting	LED
Screen size (inch)	24"
Screen size (cm)	61 cm
Aspect ratio	16:9
Viewing angle vertical	170°
Viewing angle horizontal	170°
Brightness typical	250 cd/m ²
Contrast ratio typical	1000:1
Reponse time typical	5 ms
Refresh rate	60 Hz
Functions:	
Comb filter	3D comb filter with de-interlace
Menu languages	English, German, Italian, Spanish, French, Chinese, Russian
Parts supplied:	
Parts supplied	manual, power cord, feet, Power supply unit 100 ~ 240VAC / 12VDC, 50/60Hz, HDMI cable
Interfaces / Inputs/ Outputs:	
Audio inputs	1x 3.5mm jack, 1, 1
Video inputs (type)	DisplayPort, HDMI
Video outputs	no
Serial interfaces	no
Video:	
Resolution	1920x1080 (16:9)
Other	
Display element	Color TFT-LED, Hard coating (3H), Haze :25%
Manufacturer order number	236655

Optional Accessory

SKU	Name	Description
224229	VM-LCDWMB2	Wall bracket for LCD monitors horizontal adjustable, support up to max. 8 kg
239769	VM-PFF24	Privacy filter foils for 24" LCD-Monitors

VM-FHD24PFA

Technical Drawing

Maße: Dimensions: mm



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300
Fax: +49 6074 - 888 - 100
E-Mail: info@eneo-security.com
Web: www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

