

INR-58N640005A

SKU: 238664



Network Video Recorder 64x IP, RAID, 16xSATA, 4xHDMI, H.265, H.264, without HDD

Main Features

Maximum resolution 12MP (recording)	4x HDMI output, 2x RJ45 network connection, 1xUSB connection
Recording modes continuous, manual or AI-based	1 x audio input and output
Maximum data rate input 640Mbps, output 640Mbps	eSATA connection for external memory expansion
Maximum 16 internal hard drives possible, hotswap capable	Remote access via browser, eneo Insight or Insight mobile
RAID 0,1,5,6,10 support	ONVIF Profile S support, NDAA compliance
Supports 16 alarm inputs and 4 alarm outputs	USB mouse and 19" mounting bracket included in the scope of delivery

Specifications

General:	
Dimensions (HxWxD)	1498x440x460mm
Control units (external)	mouse
Remote software	eneo INsight
Series	eneo IN-Series
Blower	yes
Max. internal HDD capacity	288 TB
Internal HDD capacity	0 TB
Integrated writer	no
HDD slots	16x SATA
RAID	+ Hot Spare, RAID 0, RAID 1, RAID 10, RAID 5, RAID 6

INR-58N640005A

Continuation of the specifications

19" rack mount	yes
Supply voltage	100-240VAC; ATX250W intern
Power consumption	8W, without HDD
Operating temperature	-10°C ~ +50°C, @ Humidity 90% or less (non-condensing)
ONVIF	ONVIF Profile S, yes
Weight	9kg
Recording:	
Backup	Setup
Pre-alarm recording	up to 5min.
Max. recording resolution	4000x3000
Display:	
Live display	240fps @ 3840x2160,480fps @ 2592x1520,960fps @ 1920x1080
Functions:	
Alarm triggers	disk error,video loss,motion detection,contact,AI
Alarm notification	e-mail notification,alarm output,remote software,Live Popup,Buzzer,PTZ Preset,FTP,Push (Mobile),Spot Popup
Motion detector	integrated motion detector
Menu languages	English,German,French,Spanish,Italian,Russian,Portuguese,Polish,Turkish,Romanian,Danish,Dutch,Finnish,Bulgarian,Greek,Japanese,Korean,Thai,Arabic,Hebrew,Hindi
Password protection	administrator & users
Search function	date/time,event,Thumbnail,text,museum,Instant Playback,VCA search
Audio support	yes
HDD hotswap	yes
Analysis functions	Depending on connected IP camera
Remote access	Android, iPhone, remote software, WEB Browser (Java)
Remote configuration	Remote software
Parts supplied:	
Parts supplied	mouse>manual,19" rack mount angle
Network:	
Network protocols	TCP/IP,DHCP,HTTP,UPnP,SMTP,RTSP,RTP,FTP,NTP,SNMP,DNS,DDNS,HTTPS
Network	2x 10/100/1000 Base-Tx, RJ45
Data transfer rate max.	1280 Mbps
Data transfer rate outgoing	640 Mbps
Network connection	2 x 10/100/1000BASE-T
Data transfer rate incoming	640 Mbps
Interfaces / Inputs/ Outputs:	

INR-58N640005A

Continuation of the specifications

Interfaces external storage	1x eSATA
Channels total	64
IP channels	64
Spot monitor	no
Monitor Outputs	4x HDMI
Alarm inputs	16
Alarm output	4
Audio inputs	1
Serial interfaces	RS-232, RS-485
USB ports	1x USB 2.0, 2x USB 3.0
Audio output	1
Video:	
Compression	H.264, H.264+, H.265, H.265+
Other	
Remarks	IP cameras of the PXB, PXC, PXD and PTB series are not supported by this product,NDAA compliance under Section 889,To guarantee you an optimum user experience, we recommend that you only use components of the same brand in a system. If several brands are used in combination, eneo cannot guarantee functionality. If combined use is necessary, we offer a compatibility check for a fee (for more information, see article number #229235 at
Special features	RAID0: Minimum 2 up to 8 pcs HDDs, without TB size requirement,RAID1: Minimum 2 pcs HDDs, without TB size requirement,RAID5: Minimum 3 up to 8 pcs HDDs with minimum 4TB size,RAID6: Minimum 4 up to 8 pcs HDDs with minimum 4TB size,RAID10: 4 oder 8 Festplatten, ohne TB-Größenanforderung,We recommend the use of Enterprise-Class hard drives
Operating system	Linux
Manufacturer order number	238664

Optional Accessory


SKU	Name	Description
234989	eneo INsight	Control software for recorder IN- and MN-series
236197	eneo INsight Evidence Locker	For the research of HDD's for recorders of IN-series
236196	eneo INsight Evidence Player	For replay of exported data for recorder IN-series IN-Serie
234990	eneo INsight mobile	Mobile App for recorder IN- and MN-series
217659	HDD-4000SATA Purple	Hard Disk Drive 4TB, SATA, for eneo Video Recorders, expansion
217660	HDD-6000SATA Purple	Hard Disk Drive 6TB, SATA, for eneo Video Recorders, expansion

INR-58N640005A

Continuation of accessory

234995	INR-eSATA	HDD Box, eSATA, für max 4 HDD max. 8TB pro HDD, ohne HDD
--------	-----------	--

Technical Drawing



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300
Fax: +49 6074 - 888 - 100
E-Mail: info@eneo-security.com
Web: www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

