

eneo INR-58N640005A

SKU: 238664



Network Video Recorder 64x IP, RAID, 16xSATA, 4xHDMI, H.265, H.264, without HDD

Main Features

Maximum resolution 12MP (recording)

Recording modes continuous, manual or AI-based

Maximum data rate input 640Mbps, output 640Mbps

Maximum 16 internal hard drives possible,

hotswap capable, RAID 0,1,5,6,10 support

Supports 16x alarm inputs and 4x alarm outputs

4x HDMI output, 2x RJ45 network connection,

1x USB connection, 1x audio input and output

eSATA connection for external memory expansion

Remote access browser, eneo Insight or Insight mobile

ONVIF Profile S support, NDAA compliance

USB mouse, 19" mounting bracket included

Specifications

System requirements	
Operating system	Linux
General	
Dimensions (WxHxD) (extended)	440x149x460mm
External Eneo Operating Devices	Mouse
Control software	eneo INsight
HDD Slots Number	16, bis zu 18 TB je slot (Enterprise-Class)
Power consumption	8 W
ONVIF	ONVIF Profile G, ONVIF Profile S, ONVIF Profile T
RAID Level	+ Hot Spare, RAID 0, RAID 1, RAID 10, RAID 5, RAID 6

eneo INR-58N640005A

Continuation of the specifications

Temperature Range (Operating)	-10°C ~ +50°C, @ Luftfeuchtigkeit 90% oder weniger (nicht kondensierend)
Recording	
Resolution Recording (max)	4000x3000
Hard disk capacity max	288 TB
Functions	
Audio support	Yes
HDD Hotswap	Yes
Analysis	Depending on connected IP camera
Alarm triggers	AI, Contact, Disk Error, Image loss, Movement
Alarm response	Alarm Output, Buzzer, E-mail dispatch, FTP, Live Popup, PTZ Preset, Push (Mobile), Spot Popup
Menu languages	Arabic, Bulgarian, Danish, Dutch, English, Finnish, French, German, Greek, Hebrew, Hindi, Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian, Spanish, Thai, Turkish
Password	Administrator and User
Search function	Event, Instant playback, Museum, Text, Thumbnail, VCA Search
Remote Access	Android, Ios, Remote Software, WEB Browser (Java)
Notes	
Remark	Two hard drives are required for maximum IP channel recording. Two alarms can be stored in the cloud. Only use eneo components. If mixing brands, a compatibility check (item #229235 at VIDEOR) is available for a fee.
Interfaces / Inputs/ Outputs	
Alarm Input	Yes
Alarm output	Yes
Number of IP Channels	64
Audio Inputs	1
Ethernet interface	1000Base-T, 100Base-T, 10Base-T
Memory interface (external)	1x eSATA
Control Interfaces	RS-232, RS-485, USB 2.0, USB 3.0
Video Outputs	4x HDMI
Parts supplied	
Scope of delivery	mouse, manual, 19 inch rack mount angle
Network	
Data throughput (outbound)	1280 Mbps
Data throughput (maximum)	640 Mbps
Network Protocols	DDNS, DHCP, DNA, FTP, HTTP, HTTPS, NTP, RTP, RTSP, SMTP, TCP-IP, UPnP
Video	
Video Compression	H.264, H.264+, H.265, H.265+

eneo INR-58N640005A

Continuation of the specifications

Product labeling:	
EAN/GTIN	4260229840634
Manufacturer order number	238664
Series	eneo IN-Serie

Optional Accessory

SKU	Name	Description
234995	eneo INR-eSATA	
234989	eneo INsight	Control software for recorder IN- and MN-series
236197	eneo INsight Evidence Locker	For the research of HDD's for recorders of IN-series
236196	eneo INsight Evidence Player	For replay of exported data for recorder IN-series
234990	eneo INsight mobile	Mobile App for recorder IN- and MN-series
218218	eneo Site Manager	Management Software for eneo IP products
243714	Western Digital WD122PURP	WD Purple hard drive, 3.5", SATA 6 Gb/s, 12TB, 256MB Cache, 24x7, optimized for video surveillance
231726	Western Digital WD181PURP	
245574	Western Digital WD44PURZ	WD Purple Hard Drive, 3.5", SATA 6 Gb/s 4TB, 128MB Cache, 24x7, optimized for video surveillance
237767	Western Digital WD64PURZ	WD Purple hard drive, 3.5", SATA 6 Gb/s, 6TB, 256MB Cache, 24x7, optimized for video surveillance
241613	Western Digital WD85PURZ	



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8

63322 Rödermark, Deutschland

Phone: +49 6074 - 888 - 300
Fax: +49 6074 - 888 - 100
E-Mail: info@eneo-security.com
Web: www.eneo-security.com

Stay informed and subscribe
to the eneo newsletter

