

VM-FHD15FLT

SKU: 238858



15" (38cm) LCD Monitor, Full HD 1920x1080, LED, HDMI. DisplayPort Flush Mount, Touch Screen

Main Features

Professional 15" (38cm) LCD touchscreen monitor	Viewing angle 178° horizontal and vertical
Designed for continuous operation 24x7x365 (industry level)	Contrast ratio typically 1,000:1
Maximum resolution 1920x1080 pixels	Versatile video inputs HDMI, DP
LED backlight	Integrated speakers
Short response time of 5ms	Operating voltage: 12VDC, external power supply included in d
Optimum display thanks to digital 3D filtering	Flush mount metal housing with white plastic cover

Specifications

General:	
Dimensions (HxWxD)	270x389x40,5mm
Mount	VESA standard 100x100mm,VESA standard 75x75mm
Series	eneo Monitor
Housing color	white
Hosuing material	Metal
Loudspeaker	nein
Supply voltage	12VDC
Power consumption	approx. 13W
Operating temperature	-30°C ~ +85°C

VM-FHD15FLT

Continuation of the specifications

Weight	5,0kg
Display:	
Pixel fault class	ISO 13406-2, Class II
Video standard	PAL/NTSC
Resolution Pixels	1920x1080
Backlighting	LED
Screen size (inch)	15"
Screen size (cm)	38 cm
Aspect ratio	16:9
Viewing angle vertical	178°
Viewing angle horizontal	178°
Brightness typical	300 cd/m ²
Contrast ratio typical	1000:1
Reponse time typical	5 ms
Refresh rate	60 Hz
Functions:	
Comb filter	3D comb filter with de-interlace
Menu languages	English, German, Italian, Spanish, French, Chinese, Russian
Parts supplied:	
Parts supplied	manual, power cord, Acrylic front cover, Power supply unit 100 ~ 240VAC / 12VDC, 50/60Hz, HDMI cable, Thumbscrews for front cover
Interfaces / Inputs/ Outputs:	
Video inputs (type)	DisplayPort, HDMI, USB2.0
Video outputs	no
Audio inputs	no
Serial interfaces	no
Video:	
Resolution	1920x1080 (16:9)
Other	
Display element	Color TFT-LED
Manufacturer order number	238858

Technical Drawing

Maße / Dimensions: mm

